Storage at OLCF



Mitchell Griffith



OLCF Storage Policy

- http://www.olcf.ornl.gov/support/user-guides/olcf-policy-guide/#6431
- Manages Storage Resources in the OLCF
- Give fair share of storage resources to projects and users
- Project or user can request exceptions to the policy
 - www.olcf.ornl.gov/support/getting-started/special-request-forms/
- There are 3 types of storage resources at OLCF



NetApp (NFS shared areas)

- Shared home (/ccs/home/\$USER)
- Shared project (/ccs/proj/[projectid])
- Has a quota
- Limits
 - /ccs/home/\$USER 5GB
 - quota/quota -s
 - /ccs/proj/[projectid] 50GB
 - df -h /ccs/proj/[projectid]



User Work Directories

- Work directories
 - /lustre/widow0/scratch/\$USER
 - /lustre/widow1/scratch/\$USER
 - /lustre/widow2/scratch/\$USER
 - /lustre/widow3/scratch/\$USER
 - Only one is the 'primary' work directory
 - /tmp/work/\$USER
 - \$WORKDIR
 - No default quota, but all files not accessed in 14 days are eligible to purge
- Each lustre filesystem is 2.5PB in size.



Project Lustre Space

- /tmp/proj/[projectid]
- 5TB soft quota
- Quotas enforced via email
- No backup, catastrophic failure means data is lost
- Project space is on one of the 4 available lustre filesystems



Lustredu

- Lustredu
 - Provide lustre usage
 - Does not tax the lustre metadata server
 - Module loaded by default
 - Available only on machines that mount /lustre/widow[0-3]



HPSS (archival storage)

- Home areas (/home/\$USER)
 - 2TB size/2,000 files limit
- Project Areas (/proj/[projectid])
 - 100TB size/100,000 file limit
- Showusage
 - Show usage for user and project on hpss

[user@home2.ccs.ornl.gov:/ccs/home/user] showusage -s hpss

HPSS Storage in GB:

| Project | Project Totals Storage | | user Storage |
|-----------|---------------------------|----|-----------------|
| | | _! | 2000 02 |
| user | 2090.03 | | 2090.03 |
| abc123 | 6.52 | 1 | 0.01 |
| abc123pri | 0.10 | 1 | 0.10 |
| def456 | 561.83 | 1 | 0.00 |



HPSS

What is HPSS?

- HPSS is software that manages petabytes of data on disk and robotic tape libraries. HPSS provides highly flexible and scalable hierarchical storage management that keeps recently used data on disk and less recently used data on tape.
- Hierarchical storage system



HPSS Layout

- (5) SL8500's
 - 10,000 tape slots per silo
- 33,634 tapes in use
 - 9,286 500GB capacity
 - 21,648 1TB capacity
 - 2,700 5TB capacity
- 116 tape drives
 - 16 T10K-A
 - 64 T10K-B
 - 36 T10K-C



HPSS Layout (2)

- Disk Cache
 - Disk cache is striped
 - Planned to upgrade disk cache this year
 - (8) disk movers in production
- Tape
 - (19) production movers



HPSS Layout

- Class of Service (COS)
 - Single copy COS Iscos

| cos | Name | Min | Max |
|------|-----------|--------------------|----------------------------|
| 5081 | Xsmall | 0 | 131,071 (128K) |
| 6001 | Small | 131,072 (128K) | 16,777,215 (16M) |
| 6002 | Medium | 16,777,216 (16M) | 536,870,911 (512M) |
| 6054 | Large_T | 536,870,912 (512M) | 8,589,934,591 (8G) |
| 6056 | X-Large_T | 8,589,934,591 (8G) | 281,474,976,710,656 (256T) |

- Single copy class of service is default.
 - http://www.olcf.ornl.gov/kb_articles/hsihtar/ #Setting_the_Number_of_Copies



HPSS Interfaces

- Archival Space/HPSS
 - 2 interface options
 - HSI
 - HTAR
 - Preferred only 1 stream at a time
 - Batch options



HSI Batch

in.hpss

```
get <<in
a
B
c
in</pre>
```

```
O:[hpss-nccs]/home/user/a-> in in.hpss
get <<in
get 'a' : '/home/user/a/a' (2012/10/08 07:03:41 5 bytes, 12.0 KBS)
get 'b' : '/home/user/a/b' (2012/10/08 07:03:44 5 bytes, 12.0 KBS)
get ,c' : '/home/user/a/c' (2012/10/08 07:03:44 5 bytes, 12.0 KBS)
O:[hpss-nccs]/home/user/a->
```



HPSS Tips

- HPSS is archival storage
 - Many very small files are bad for HPSS
 - Too large of files are bad as well (disk cache)
 - Optimal file size for HPSS is between 2GB and 256GB.
 - Use HTAR to archive several smaller files into one
 - A member file of an HTAR file cannot be > 64GB
 - Lustredu can be used to estimate the size of a source directory in lustre



Authentication Issue

> hsi

result = -11000, errno = 0g]

Unable to authenticate user with HPSS.

result = -11000, errno = 9

Unable to setup communication to HPSS...

*** HSI: error opening logging

Error - authentication/initialization failed

Workaround

- >hsi −A combo
- ➤ Send email to help@olcf.ornl.gov



Data Removal

- Please remove any unwanted data from all areas (NFS,lustre,HPSS)
- When projects end, data is subject to deletion after 3 months after the project ends
 - OLCF only reserves the right to delete
 - Projects should remove data they do not want shared
- When a user account ends, data is subject to deletion after 3 months
 - OLCF reserves the right to delete data
- We are working to automate account and project cleanup



Data Movement (offsite)

 http://www.olcf.ornl.gov/kb_articles/data-transfer-nodes/? nccssystems=DTN

SCP/SFTP

Can be slow, but this method is supported on most clients

BBCP

- Faster file copy than scp
- Requires the bbcp binary at source and destination

GridFTP

- Uses DOE grid certificates or SSH for authentication
- Recommended way to transfer from DOE labs (NERSC, ANL, etc).

